



Journal of Health Politics, Policy and Law, Vol. 33, No. 4, December 2008
DOI 10.1215/03616878-33-4 © 2008 by the Southern Political Science Association



The map displays a coastal area with various land use types and their corresponding degradation levels. The legend on the right side of the map provides the key for these categories:

- Keine Verschlechterung der Nutzungsklasse (White square)
- Verschlechterung um 1 Nutzungsklasse (Light yellow square)
- Verschlechterung um 2 Nutzungsklassen (Yellow square)
- Verschlechterung um 3 Nutzungsklassen (Orange square)
- Verschlechterung um 4 Nutzungsklassen (Brown square)
- Bestehende Überflutungsfläche (Blue dotted square)
- Überflutungsfläche im Rückhalteraum (Dark blue dotted square)
- Gewässer (Light blue square)
- Wiese (Light green square)
- Wald- und Gehölzfläche (Dark green square)
- Siedlungsfläche (Grey square)





REGIERUNGSPRÄSIDIUM FREI
Abteilung Umwelt



Rückhalteraum Wyhl / Weisweiler

Beeinträchtigung der Standortverhältnisse für die Landwirtschaft bei hohen Ökologischen Flutungen mit Betrieb der Schutzmaßnahmen

Figure 1. A schematic diagram of the experimental setup.

			Regierungspräsidium Freiburg Abteilung Umwelt Ref. 53.3, "Integriertes Rheinprogramm" Büssierstr.7, 79114 Freiburg
gez.:	30.01.2019	Bu	
gepr.:	30.01.2019	Go	zum Antrag vom 18.12.2018 gehörend
Maßstab: 1 : 10.000			
Plan Nr.: 22.2			Anlage: 22.2